



Assembly Instructions

Recycled

RCPSC6 - Recycled Plastic 6' Traditional Bench

anovafurnishings.com
888.535.5005 tel


TOOLS NEEDED:

- 18 Volt (or higher) drill
- T30 Torx Bit



Recycled Plastic 6' Traditional Bench

BENCH COMPONENTS:




(8) 2" X 4" Planks



(3) Bench Supports

ASSEMBLY HARDWARE:



(24) 1/4" X 3" Torx Washer Head Screws



ASSEMBLY:

The assembly is a two-person operation.




1. Inspect the shipping container contents for damage and to determine that all components and hardware are present.
2. Lay all parts on a soft work surface or on the shipping packaging to prevent damage to finish.
3. Locate one of the 2" x 4" planks and position the plank over the innermost sets of predrilled holes in the bench supports. Mount the 2" X 4" plank to the bench support by driving three of the 1/4" X 3" torx washer head screws with the 18 volt drill and the T30 torx bit into the clearance holes of the planks and the pilot holes of the bench supports.

NOTE: When installing the screws start from one end of the bench and finish on the opposite end.

4. Align the clearance holes in another plank with the uppermost pair of pilot holes in the bench supports and install three 1/4" X 3" torx washer head screws.
5. Align the clearance holes in another plank with the front pair of pilot holes in the bench supports and install three 1/4" X 3" torx washer head screws.



6. Attach the rest of the planks in the same manner, starting from the outside of the bench supports and working inward, and from the top working down.



Note: Please contact Customer Care at 1-866-797-1761 when ordering replacement parts.



- Furniture must not be used other than for its intended purposes and should be inspected regularly for loose, missing, or broken hardware, and general instability.
- Furniture that is damaged or appears to be unstable must be removed from service and be repaired or replaced.
- Repairs must be made using only factory authorized parts and methods.

CARE AND MAINTENANCE

- Do not drag the assembled unit across any surface.
- This product requires only periodic cleaning with a sponge and a solution of mild detergent and water to remove surface dirt. Do not clean with a solvent or petroleum based products.